References

1. More G., T.E. Tshikalangea, N. Lalla, F. Botha, J.J.M. Meyer, (2008), Antimicrobial activity of medicinal plants against oral microorganisms, Journal of Ethnopharmacology, 119, 473–477.
2. http://www.colgate.com/app/CP/US/EN/OC/Information/Articles/Oral-and-Dental-Health-Basics/Common-Concerns/Gum-Disease.cvsp cited 08.03.2012
3. Jain N.K., 2005, Controlled and Novel Drug Delivery, CBS Publishers and Distributors, Daryaganj, New Delhi, pg. 130, 371.
4. Rathbone Michael J., Hadgraft Jonathan, Roberts Michael S., Lane Majella E., (2008), Modified release Drug Delivery Technology, Informa Healthcare, Vol I, Drugs and the Pharmaceutical Sciences, 183, Page No. 93, 75- 121, 209-216.
5. Chein Yie W., (2007), Novel Drug Delivery Systems, Mucosal Drug Delivery: Potential Routes for Noninvasive Systemic Administration , Marcel Dekker Incorporation, Second Edition, Revised and expanded, Drugs and Pharmaceutical Sciences, Vol 50, Page No. 197.
6. http://www.who.int/mediacentre/factsheets/fs318/en/index.html cited 08/03/2012
7. http://www.ncbi.nlm.nih.gov/pubmedhealth/PMH0002051/, Gum disease; Periodontal disease Last reviewed: February 22, 2010.cited 08.03.2012.
8. Angeliki Triantafyllou , Nikolaos Chaviaras , Theodoros N. Sergentanis , Evaggelia Protopapa, John Tsaknis, (2007), Chios mastic gum modulates serum biochemical parameters in a human population, Journal of Ethnopharmacology, 111, 43–49.
9. Meyer Diane H and Taylor Paula M Fives, (1998), Oral pathogens: from dental plaque to cardiac disease, Current Opinion in Microbiology, 1:88-95.
10. Hughesa Francis J., McNabb Rod, (2008), Oral malodour – a review, archives of oral biology 53, Suppl. 1, S1–S7.
11. Yoshio Nakano, Mamiko Yoshimura, Toshihiko Koga, (2002), Correlation between oral malodor and periodontal bacteria, Microbes and Infection, 4, 679–683, Review.
12. Stefano Fedele, DDS, PhD, Wael Sabbah, BDS, MSc, Nikos Donos, DDS, MS, PhD, Stephen Porter, BSc, MD, PhD, and Francesco D'Aiuto, DMD, PhD, Coronary Artery Disease, Common oral mucosal diseases, systemic inflammation, and cardiovascular

diseases in a large cross-sectional US survey, London, United Kingdom, UCL Eastman Dental Institute, Oral Medicine, University College London, United Kingdom., doi:10.1016/j.ahj.2010.11.009)

13. Lin D.M., Kalachandra S., Valiyaparambil J., Offenbacher S., (2003), A polymeric device for delivery of anti-microbial and anti-fungal drugs in the oral environment: effect of temperature and medium on the rate of drug release, Dental Materials, 19, 589–596.
14. Medlicott Natalie J., Rathbone Michael J. , Ian G. Tucker and Doug W. Holborow, (1994), Delivery systems for the administration of drugs to the periodontal pocket, Advanced Drug Delivery Review, 13, 181-203.
15. Kristmundsdottir T., Loftsson T., Holbrook W.P., (1996), Formulation and clinical evaluation of a hydrocortisone solution for the treatment of oral disease, International Journal of Pharmaceutics, 139, 63-68.
16. Li Huang, Yu-hong Xiao, Xiao-dong Xing, Fang Li, Sai Maa, Ling-ling Qi, Ji-hua Chen, (2011), Antibacterial activity and cytotoxicity of two novel crosslinking antibacterial monomers on oral pathogens, Archives of oral Biology, 56, 367-373.
17. Yoshihiko Hayashi, Naoko Ohara, Tomoko Ganno, Keiji Yamaguchi, Takahide Ishizaki, Taisuke Nakamura, Makoto Sato, (2007), Chewing chitosan-containing gum effectively inhibits the growth of cariogenic bacteria, Archives of oral Biology, 52, 290-294.
18. Assimopoulou A.N., Zlatanos S.N., Papageorgiou V.P., (2005), Antioxidant activity of natural resins and bioactive triterpenes in oil substrates, Food Chemistry, 92, 721-727.
19. Silva Denise G., Stevens Roy H., Macedo Jacyara M.B., Albano Rodolpho M.,. Falabella Marcio E.V., Fischer Ricardo G., Veerman Enno C., Tinoco Eduardo M.B., (2010), Presence of Helicobacter pylori in supragingival dental plaque of individuals with periodontal disease and upper gastric diseases, Archives of oral Biology, 55, 896-901.
20. Thuille Nikolaus, Fille Manfred, Nagl Markus, (2003), Bactericidal activity of Herbal Extracts, Int. J. Hyg. Environ. Health 206, 217 – 221.
21. Knuth Kim, Amiji Mansoor and Robinson Joseph R., (1993), Hydrogel delivery systems for vaginal and oral applications Formulation and biological considerations, Advanced Drug Delivery Reviews, 11, 137-167.

22. Abdellaouia Schwach K., Castionib N. Vivien, Gurnya R., (2000), Local delivery of antimicrobial agents for the treatment of periodontal diseases, European Journal of Pharmaceutics and Biopharmaceutics, 50, 83-99.
23. Bär Werner, Bäde-Schumann Ulrike, Krebs Andreas, Cromme Ludwig, (2009), Rapid method for detection of minimal bactericidal concentration of antibiotics, Journal of Microbiological Methods, 77, 85–89.
24. Nobuhiro Takahashi, 2005, Microbial ecosystem in the oral cavity: Metabolic diversity in an ecological niche and its relationship with oral diseases, International Congress Series, 1284, 103– 112.
25. Rathbone Michael J., Drummond Bernadette K. and Tucker Ian G., (1994), The oral cavity as a site for systemic drug delivery, Advanced Drug Delivery Reviews, 13, 1-22.
26. Sterer Nir, Shada Nuas, Boaz Mizrahi, Chen Goldenberg, Ervin I. Weiss,Abraham Domb, Michael Perez Davidi, (2008), Oral malodor reduction by a palatal mucoadhesive tablet containing herbal formulation, journal of dentistry 36, 535 – 539.
27. Squier Christopher A. and Wertz Philip W., (1993), Permeability and the pathophysiology of oral mucosa, Advanced Drug Delivery Reviews, 12, 13-24.
28. Khanna Rajesh, Agarwal S.P., Ahuja Alka, (1996), Preparation and evaluation of bioerodible buccal tablets containing clotrimazole, International Journal of Pharmaceutics, 138, 67- 73.
29. Roskos K.V, Fritzinger B.K., Rao S.S., Arrnitaget G.C. and Heller J., (1995), Development of a drug delivery system for the treatment of periodontal disease based on bioerodible poly(ortho esters) Biomateriols, 16, 313-317.
30. Morales Javier O., McConville Jason T., (2011), Manufacture and characterization of mucoadhesive buccal films, European Journal of Pharmaceutics and Biopharmaceutics, 77, 187–199.
31. Senel S., Capan Y., Sargon M.F., Giray C.B., Hıncal A.A., (1998), Histological and bioadhesion studies on buccal bioadhesive tablets containing a penetration enhancer sodium glycodeoxycholate, International Journal of Pharmaceutics, 170, 239–245.
32. Rough-Yee Han, Jia-You Fang, Sung K.C., Oliver Y.P. Hu, (1999), Mucoadhesive buccal disks for novel nalbuphine prodrug controlled delivery: effect of formulation

variables on drug release and mucoadhesive performance, International Journal of Pharmaceutics, 177, 201–209.

33. Abruzzo Angela, Bigucci Federica, Cerchiara Teresa, Cruciani Federica, Vitali Beatrice, Luppi Barbara, (2012), Mucoadhesive chitosan/gelatin films for buccal delivery of propranolol hydrochloride, Carbohydrate Polymers, 87, 581– 588.
34. Ìkinci G., Senel S., Wilson C.G., Sumnu M., (2004), Development of a buccal bioadhesive nicotine tablet formulation for smoking cessation, International Journal of Pharmaceutics 277, 173–178.
35. Mumtaz Ahmad Mahmood, Ch'ng Hung-Seng, (1995), Design of dissolution apparatus suitable for in situ release study of triamcinolone acetonide from bioadhesive buccal tablets, International Journal of Pharmaceutics, 121,129-139.
36. Nafee Noha A., Ismail Fatma A., Boraie Nabila A., Mortada Lobna M.,(2003) Mucoadhesive buccal patches of miconazole nitrate: in vitro/in vivo performance and effect of ageing, International Journal of Pharmaceutics, 264, 1–14.
37. Burgalassi S., Panichi L., Saettone M.F., Jacobsen J., Rassing M.R., (1996), Development and in vitro/in vivo testing of mucoadhesive buccal patches releasing benzydamine and lidocaine, International Journal of Pharmaceutics, 133, 1-7.
38. Miller Nazila Salamat, Chittchang Montakarn, Johnston Thomas P., (2005), The use of mucoadhesive polymers in buccal drug delivery , Advanced Drug Delivery Reviews, 57, 1666– 1691.
39. Kockisch Sandra, Rees Gareth D., Tsibouklis John, Smart John D., (2005) Mucoadhesive, triclosan-loaded polymer microspheres for application to the oral cavity: preparation and controlled release characteristics, European Journal of Pharmaceutics and Biopharmaceutics, 59, 207–216.
40. Llabot J.M., Palma S.D., Manzo R.H., Allemandi D.A., (2007), Design of novel antifungal mucoadhesive films Part II. Formulation and in vitro biopharmaceutical evaluation, International Journal of Pharmaceutics, 336, 263–268.
41. Bromberg Lev E., Buxton Debra K., Friden Phillip M., (2001), Novel periodontal drug delivery system for treatment of periodontitis, Journal of Controlled Release, 71, 251–259.

42. Jones David S., Bruschi Marcos Luciano, Freitas Osvaldo de, Gremião Maria Palmira Daflon, Lara Elza Helena Guimarães, Andrews Gavin P., (2009), Rheological, mechanical and mucoadhesive properties of thermoresponsive, bioadhesive binary mixtures composed of poloxamer 407 and carbopol 974P designed as platforms for implantable drug delivery systems for use in the oral cavity, International Journal of Pharmaceutics, 372, 49–58.
43. Southard G. Lee, Godowski Kenneth C., (1998), Subgingival controlled release of antimicrobial agents in the treatment of periodontal disease, International Journal of Antimicrobial Agents, 9, 239–253.
44. Schnu¨rch Andreas Bernkop, Guggi Davide, Pinter Yvonne, (2004), Thiolated chitosans: development and in vitro evaluation of a mucoadhesive, permeation enhancing oral drug delivery system, Journal of Controlled Release, 94, 177– 186.
45. Sotirios Paraschos, Prokopios Magiatis, Sofia Mitakou, Kalliopi Petraki, Antonios Kalliaropoulos,Petros Maragkoudakis, Andreas Mentis, Dionyssios Sgouras and Alexios-Leandros Skaltsounis, (2007),In Vitro and In Vivo Activities of Chios Mastic Gum Extracts and Constituents against Helicobacter pylori, Antimicrobial Agents And Chemotherapy,51,2 , p. 551–559.
46. Nabila Benhammou, Fawzia Atik Bekkara and Tatjana Kadifkova Panovska, (2008), Antioxidant and antimicrobial activities of the Pistacia lentiscus and Pistacia atlantica extracts, African Journal of Pharmacy and Pharmacology Vol. 2(2). pp. 022-028.
47. Tsuneji Nagai and Yoshiharu Machida, (1993), Buccal delivery systems using hydrogels, Advanced Drug Delivery Reviews, 11,179-191.
48. Yajaman Sudhakar, Ketousetuo Kuotsu, A.K. Bandyopadhyay, (2006),Buccal bioadhesive drug delivery — A promising option for orally less efficient drugs, Journal of Controlled Release, 114, 15–40.
49. Hoogstraate Janet A.J. and Wertz Philip W., (1998), Drug delivery via the buccal mucosa, PSTT Vol. 1, No. 7.
50. Choy Fun Wong, Kah Hay Yuen, Kok Khiang Peh, (1999), An in-vitro method for buccal adhesion studies: importance of instrument variables, nternational Journal of Pharmaceutics, 180, 47–57.

51. http://www.colgate.com/app/CP/US/EN/OC/Information/Articles/Oral-and-Dental-Health-Basics/Common-Concerns/Gum-Disease.cvsp cited 08.03.2012
http://www.who.int/mediacentre/factsheets/fs318/en/index.html cited 08/03/2012
52. Bolton Sanford, Bon Charles, 2010, Pharmaceutical Statistics – Practical and Clinical Application, Drugs and the Pharmaceutical Sciences, Informa Healthcare, Vol. 203, Pg. No. 425 – 449.
53. Jain N.K., Advances in controlled and Novel Drug Delivery, CBS Publication, Pg. No. 70-82.
54. Vyas S P., (2009), Theory and Practice in Novel Drug Delivery System, Bio/Mucoadhesive systems, CBS publishers and developers, First Edition, Pg. 36-56.
55. World Health Organization WHO Technical Report Series, No. 953, 2009 Annex 2 Stability testing of active pharmaceutical ingredients and finished pharmaceutical products.